Safety Data Sheet

in accordance with HSNO

Printing date 28.09.2023 *Version number 31* *Revision: 22.09.2023*

1 Identification of the substance or mixture and of the supplier

· **Product identifier**

· **Trade name: Rosner DuoCryl Härter**

· **Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.

· **Application of the substance / the mixture** Hardening agent/ Curing agent

· **Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**
Mipa SE
Am Oberen Moos 1
D-84051 Essenbach
Tel.: +49(0)8703-922-0
Fax.: +49(0)8703-922-100
e-mail: sdb-registratur@mipa-paints.com
www.mipa-paints.com
www.rosner-international.com

Importer in New Zealand:
RJP Performance Coatings
(RA Johnstone & Co Ltd)
33 Ha Crescent, Wiri
Auckland 2104
Phone: 09 25000 91
Email: sales@mipa.nz
Web: www.mipa.nz

24HR Emergency Assistance in New Zealand:
National Poisons Centre: 0800 POISON [764 766]

· **Emergency telephone number:** International emergency number: +49(0)700 24112112 (MIP)

2 Hazards identification

· **Classification of the substance or mixture**



flame

Flam. Liq. 3 H226 Flammable liquid and vapour.



Skin Sens. 1 H317 May cause an allergic skin reaction.
STOT SE 3 H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness.

· **Label elements**

· **GHS label elements**
The product is classified and labelled according to the Globally Harmonised System (GHS).

· **Hazard pictograms**



GHS02 GHS07

· **Signal word** Warning

· **Hazard-determining components of labelling:**
Hexamethylene diisocyanate, oligomers
n-Butyl acetate

· **Hazard statements**
H226 Flammable liquid and vapour.
H317 May cause an allergic skin reaction.
H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness.

· **Precautionary statements**
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

(Contd. on page 2)

Safety Data Sheet
in accordance with HSNO

Printing date 28.09.2023 *Version number 31* *Revision: 22.09.2023*

Trade name: Rosner DuoCryl Härter

(Contd. of page 1)

P280 *Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.*
P303+P361+P353 *IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].*
P304+P340 *IF INHALED: Remove person to fresh air and keep comfortable for breathing.*
P312 *Call a POISON CENTER/doctor if you feel unwell.*

· ***Other hazards***
· ***Results of PBT and vPvB assessment***
· ***PBT:*** *Not applicable.*
· ***vPvB:*** *Not applicable.*

3 Composition/Information on ingredients

· ***Chemical characterisation: Mixtures***
· ***Description:*** *Mixture of substances listed below with nonhazardous additions.*

· ***Dangerous components:***		
123-86-4	*n-Butyl acetate* *Flam. Liq. 3, H226; STOT SE 3, H336*	*50-100%*
28182-81-2	*Hexamethylene diisocyanate, oligomers* *Acute Tox. 4, H332; Skin Sens. 1, H317; STOT SE 3, H335*	*25-50%*

· ***Additional information:*** *For the wording of the listed hazard phrases refer to section 16.*

4 First aid measures

· ***General information:*** *Immediately remove any clothing soiled by the product.*
· ***After inhalation:***
Supply fresh air and to be sure call for a doctor.
In case of unconsciousness place patient stably in side position for transportation.
· ***After skin contact:*** *Immediately rinse with water.*
· ***After eye contact:*** *Rinse opened eye for several minutes under running water.*
· ***After swallowing:*** *If symptoms persist consult doctor.*
· ***Information for doctor:***
· ***Most important symptoms and effects, both acute and delayed*** *No further relevant information available.*
· ***Indication of any immediate medical attention and special treatment needed***
No further relevant information available.

5 Fire fighting measures

· ***Suitable extinguishing agents:***
CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
· ***For safety reasons unsuitable extinguishing agents:*** *Water with full jet*
· ***Special hazards arising from the substance or mixture*** *No further relevant information available.*
· ***Protective equipment:*** *No special measures required.*

6 Accidental release measures

· ***Personal precautions, protective equipment and emergency procedures***
Wear protective equipment. Keep unprotected persons away.
· ***Environmental precautions:*** *Do not allow to enter sewers/ surface or ground water.*
· ***Methods and material for containment and cleaning up:***
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

(Contd. on page 3)

Safety Data Sheet
in accordance with HSNO

Printing date 28.09.2023 *Version number 31* *Revision: 22.09.2023*

Trade name: Rosner DuoCryl Härter

(Contd. of page 2)

Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.
· ***Reference to other sections***
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

· ***Handling:***
· ***Precautions for safe handling***
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
· ***Information about fire - and explosion protection:***
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
· ***Storage:***
· ***Requirements to be met by storerooms and receptacles:*** *No special requirements.*
· ***Information about storage in one common storage facility:*** *Store away from foodstuffs.*
· ***Further information about storage conditions:*** *Keep container tightly sealed.*
· ***Storage class:*** *3*
· ***Specific end use(s)*** *No further relevant information available.*

8 Exposure controls/personal protection

· ***Additional information about design of technical facilities:*** *No further data; see section 7.*

· ***Ingredients with limit values that require monitoring at the workplace:***	
123-86-4 n-Butyl acetate	
WES (New Zealand)	*Short-term value: 950 mg/m³, 200 ppm* *Long-term value: 713 mg/m³, 150 ppm*
IOELV (EU)	*Short-term value: 723 mg/m³, 150 ppm* *Long-term value: 241 mg/m³, 50 ppm*

· ***Additional information:*** *The lists valid during the making were used as basis.*
· ***Personal protective equipment:***
· ***General protective and hygienic measures:***
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
· ***Respiratory protection:***
Filter A/P2 (EN 141, EN 143)



In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· ***Protection of hands:***
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation



Protective gloves (EN 374)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. on page 4)

Safety Data Sheet
in accordance with HSNO

Printing date 28.09.2023 *Version number 31* *Revision: 22.09.2023*

Trade name: Rosner DuoCryl Härter

(Contd. of page 3)

· ***Material of gloves***
Butyl rubber, BR
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
· ***Breakthrough time of glove material*** *Value for the permeation: Level ≤ 6*
· ***Eye protection:***



Tightly sealed goggles

9 Physical and chemical properties

· ***General Information***	
· ***Appearance:***	
· ***Form:***	*Fluid*
· ***Colour:***	*According to product specification*
· ***Odour:***	*Characteristic*
· ***Odour threshold:***	*Not determined.*
· ***pH-value:***	*Not determined.*
· ***Change in condition***	
· ***Melting point/freezing point:***	*Undetermined.*
· ***Initial boiling point and boiling range:***	*124-128 °C*
· ***Flash point:***	*27 °C (DIN EN ISO 1523:2002)*
· ***Flammability (solid, gas):***	*Flammable.*
· ***Auto-ignition temperature:***	*370 °C (DIN 51794)*
· ***Decomposition temperature:***	*Not determined.*
· ***Ignition temperature:***	*Product is not selfigniting.*
· ***Explosive properties:***	*Product is not explosive. However, formation of explosive air/vapour mixtures are possible.*
· ***Explosion limits:***	
· ***Lower:***	*1.2 Vol %*
· ***Upper:***	*7.5 Vol %*
· ***Vapour pressure at 20 °C:***	*10.7 hPa*
· ***Vapour pressure at 50 °C:***	*55 hPa*
· ***Density at 20 °C:***	*0.977 g/cm³ (DIN EN ISO 2811-1)*
· ***Relative density***	*Not determined.*
· ***Vapour density***	*Not determined.*
· ***Evaporation rate***	*Not determined.*
· ***Solubility in / Miscibility with***	
· ***water:***	*Not miscible or difficult to mix.*
· ***Partition coefficient: n-octanol/water:***	*Not determined.*
· ***Viscosity:***	
· ***Dynamic:***	*Not determined.*
· ***Kinematic at 20 °C:***	*10-15 s (DIN 53211/4)*
· ***Solvent content:***	
· ***VOC (EC)***	*59.50 %*
· ***Solids content (weight-%):***	*40.5 %*

(Contd. on page 5)

Safety Data Sheet
in accordance with HSNO

Printing date 28.09.2023 *Version number 31* *Revision: 22.09.2023*

Trade name: Rosner DuoCryl Härter

(Contd. of page 4)

· ***Other information*** *No further relevant information available.*

10 Stability and reactivity

· ***Reactivity*** *No further relevant information available.*
· ***Thermal decomposition / conditions to be avoided:*** *No decomposition if used according to specifications.*
· ***Possibility of hazardous reactions*** *No dangerous reactions known.*
· ***Conditions to avoid*** *No further relevant information available.*
· ***Incompatible materials:*** *No further relevant information available.*
· ***Hazardous decomposition products:*** *Carbon monoxide*

11 Toxicological information

· ***Information on toxicological effects***
· ***Acute toxicity*** *Based on available data, the classification criteria are not met.*

· ***LD/LC50 values relevant for classification:***		
123-86-4 n-Butyl acetate		
Oral	*LD50*	*13,100 mg/kg (rat)*
Dermal	*LD50*	*>5,000 mg/kg (rabbit)*

· ***Skin corrosion/irritation*** *Based on available data, the classification criteria are not met.*
· ***Serious eye damage/irritation*** *Based on available data, the classification criteria are not met.*
· ***Respiratory or skin sensitisation*** *May cause an allergic skin reaction.*
· ***Germ cell mutagenicity*** *Based on available data, the classification criteria are not met.*
· ***Carcinogenicity*** *Based on available data, the classification criteria are not met.*
· ***Reproductive toxicity*** *Based on available data, the classification criteria are not met.*
· ***STOT-single exposure*** *May cause respiratory irritation. May cause drowsiness or dizziness.*
· ***STOT-repeated exposure*** *Based on available data, the classification criteria are not met.*
· ***Aspiration hazard*** *Based on available data, the classification criteria are not met.*

12 Ecological information

· ***Toxicity***
· ***Aquatic toxicity:*** *No further relevant information available.*
· ***Persistence and degradability*** *No further relevant information available.*
· ***Behaviour in environmental systems:***
· ***Bioaccumulative potential*** *No further relevant information available.*
· ***Mobility in soil*** *No further relevant information available.*
· ***Additional ecological information:***
· ***General notes:***
Water hazard class 1 (German Regulation) : slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
· ***Results of PBT and vPvB assessment***
· ***PBT:*** *Not applicable.*
· ***vPvB:*** *Not applicable.*
· ***Other adverse effects*** *No further relevant information available.*

(Contd. on page 6)

Safety Data Sheet
in accordance with HSNO

Printing date 28.09.2023 *Version number 31* *Revision: 22.09.2023*

Trade name: Rosner DuoCryl Härter

(Contd. of page 5)

13 Disposal considerations

· ***Waste treatment methods***
· ***Recommendation***
Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· ***Uncleaned packaging:***
· ***Recommendation:*** *Disposal must be made according to official regulations.*

14 Transport information

· ***UN-Number***	
· ***NZS, IMDG, IATA***	*UN1263*
· ***UN proper shipping name***	
· ***NZS***	*UN1263 PAINT RELATED MATERIAL*
· ***IMDG, IATA***	*PAINT RELATED MATERIAL*
· ***Transport hazard class(es)***	
· ***NZS***	
· ***Class***	*3 (F1) Flammable liquids.*
· ***Label***	*3*
· ***IMDG, IATA***	
· ***Class***	*3 Flammable liquids.*
· ***Label***	*3*
· ***Packing group***	
· ***NZS, IMDG, IATA***	*III*
· ***Environmental hazards:***	
· ***Marine pollutant:***	*No*
· ***Special precautions for user***	*Warning: Flammable liquids.*
· ***Hazard identification number (Kemler code):***	*30*
· ***EMS Number:***	*F-E,S-E*
· ***Stowage Category***	*A*
· ***Transport in bulk according to Annex II of Marpol and the IBC Code***	*Not applicable.*
· ***Transport/Additional information:***	
· ***NZS***	
· ***Limited quantities (LQ)***	*5L*
· ***Transport category***	*3*
· ***Tunnel restriction code***	*D/E*

(Contd. on page 7)

Safety Data Sheet
in accordance with HSNO

Printing date 28.09.2023 *Version number 31* *Revision: 22.09.2023*

Trade name: Rosner DuoCryl Härter

(Contd. of page 6)

· ***IMDG***	
· ***Limited quantities (LQ)***	*5L*
· ***UN "Model Regulation":***	*UN 1263 PAINT RELATED MATERIAL, 3, III*

15 Regulatory information

· ***Safety, health and environmental regulations/legislation specific for the substance or mixture***

· ***HSNO Approval numbers***

123-86-4	*n-Butyl acetate*	*HSR001091*

· ***GHS label elements***
The product is classified and labelled according to the Globally Harmonised System (GHS).
· ***Hazard pictograms***



GHS02 GHS07

· ***Signal word*** *Warning*

· ***Hazard-determining components of labelling:***
Hexamethylene diisocyanate, oligomers
n-Butyl acetate
· ***Hazard statements***
H226 Flammable liquid and vapour.
H317 May cause an allergic skin reaction.
H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness.
· ***Precautionary statements***
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P312 Call a POISON CENTER/doctor if you feel unwell.

· ***Directive 2012/18/EU***
· ***Named dangerous substances - ANNEX I*** *None of the ingredients is listed.*
· ***Seveso category*** *P5c FLAMMABLE LIQUIDS*
· ***Qualifying quantity (tonnes) for the application of lower-tier requirements*** *5,000 t*
· ***Qualifying quantity (tonnes) for the application of upper-tier requirements*** *50,000 t*

· ***National regulations:***
· ***Additional classification according to Decree on Hazardous Materials, Annex II:***

Class	*Share in %*
NK	*50-100*

NEW ZEALAND:
HSR002662 Surface Coatings and Colourants (Flammable)

· ***Other regulations, limitations and prohibitive regulations***
Surface Coatings and Colourants (Flammable) Group Standard 2006
HSNO Approval Number: The HSNO Approval Number for this Group Standard is HSR002662.
Refer also to the Site & Storage requirements document.

(Contd. on page 8)

Safety Data Sheet

in accordance with HSNO

Printing date 28.09.2023 *Version number 31* *Revision: 22.09.2023*

Trade name: Rosner DuoCryl Härter

(Contd. of page 7)

· ***Chemical safety assessment:*** *A Chemical Safety Assessment has not been carried out.*

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· ***Relevant phrases***
H226 Flammable liquid and vapour.
H317 May cause an allergic skin reaction.
H332 Harmful if inhaled.
H335 May cause respiratory irritation.
H336 May cause drowsiness or dizziness.

· ***Contact:***

· ***Abbreviations and acronyms:***
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
ICAO: International Civil Aviation Organisation
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Flam. Liq. 3: Flammable liquids – Category 3
Acute Tox. 4: Acute toxicity – Category 4
Skin Sens. 1: Skin sensitisation – Category 1
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3